1	L Number	Hits	Search Text	DB	Time stamp
DERWENT: IRA TOB USPAT:	1	0	6360306.pn. AND redunden\$2		
BM_TDB 2003/08/07 15:52 EPO_JPO_DERWENT; BM_TDB 2003/08/07 15:52 EPO_JPO_DERWENT; BM_TDB 2003/08/07 15:52 EPO_JPO_DERWENT; BM_TDB 2003/08/07 15:51 EPO_JPO_DERWENT; BM_TDB 2003/08/07 15:52 EPO_JPO_DERWENT; BM_TDB 2003/08/07					
1 6360306 pn. AND redund\$5 USPAT; CO03/08/07 15:52 CO03/08/0				1	
1 6553389 pn. AND redund\$5 SPO, JPO, ORWENT; IBM, TDB USPAT; EPO, JPO, DERWENT;		4	6260206 nm AND radiund05		2002/00/07 45-50
1 6553389 pn. AND redund\$5 DERWENT; IBM TDB USPAT; EPO, JPO, DERWENT; IB	2	·	0300300.pn. AND reguna\$5	1	2003/08/07 15:52
1 6553389 pn. AND redund\$5 IBM_TDB USPAT; EPC; JPC; DERWENT; IBM_TDB USPAT; EPC; JPC; DPC; DERWENT; IBM_TDB USPAT; EPC; JPC; DERWENT; IBM_TDB USPAT; EPC; JPC; DPC; DPC; DERWENT; IBM_TDB USPAT; EPC; JPC; DPC; DPC; DERWENT; IBM_TDB USPAT; EPC; JPC; DPC; DPC; DPC; DPC; DPC; DPC; DPC; D			·		
1 6553389 pn AND redund\$5 USPAT; 2003/08/07 15:51 EPC, JPC, DERWENT; IBM, TDB USPAT; EPC, JPC, DERWENT; EPC, JPC, DER				1	
Sept.	3	1	6553389.pn. AND redund\$5		2003/08/07 15:51
DERWENT; IBM, TDB USPAT; EPO, JPO, DERWENT;					
4 2 6360306 pn. AND multiple - 30 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as. - 81 (database\$1 NEAR1 cache\$1) AND 707/\$.ccls. - 81 (database\$1 NEAR1 cache\$1) AND 707/\$.ccls. - 80 ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls. - 80 ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 206 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 206 (ioon AND hwang).xa. - 20 (ioon AND hwang).xa. - 5 ("5355497" "5367671" "5799318" "5907837" "597873" "59					
- 30 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as. - 81 (database\$1 NEAR1 cache\$1) AND 707/\$.ccls. - 81 (database\$1 NEAR1 cache\$1) AND 707/\$.ccls. - 60 ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 206 database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 207 (joon AND hwang).xa. - 5 ("5355497" "5367671" "5799318" "5907837" "5978791").PN. - (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 (cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as.					
- 30 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as 81 (database\$1 NEAR1 cache\$1) AND 707/\$.ccls 81 (database\$1 NEAR1 cache\$1) AND 707/\$.ccls 80 ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 206 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 20 (don AND hwang).xa 20 (don AND hwang).xa 20 (don AND hwang).xa 5 ("535497" "5367671" "5799318" "5907837" "5978791").PN 86 (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 cache.ti,ab. AND (international AND business AND machine\$1).as.) AND (international AND business AND machine\$1).as.) AND 707/\$.ccls 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls 151 cache.ti,ab. AND (microsoft\$1).as.	4	2	6360306.pn. AND multiple		2003/08/07 15:52
30 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as. USPAT; EPO; JPO; DERWENT; IBM, TDB USPAT; CFO; JPO; DERWENT; ISM, TDB					
30 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as. 2003/08/07 15:48					
business AND machine\$1).as.		20	(database\$1 NEAR1 eache\$1) AND (international AND	_	0000/00/07 45:40
- 81 (database\$1 NEAR1 cache\$1) AND 707/\$.ccls. DERWENT; IBM_TDB USPAT; EPC, JPC, DERWENT; IBM_TDB USPAT USPAT; EPC, JPC, DERWENT; IBM_TDB USPAT USPAT; EPC, JPC, DERWENT; IBM_TDB USPAT USPAT; EPC, JPC, DERWENT; IBM_TDB USPAT; EPC, JPC, JPC, DERWENT; IBM_TDB USPAT; EPC, JPC, JPC, DERWENT; IBM_TDB USPAT; EPC, JPC, JPC, JPC, JPC, JPC, JPC, JPC, J	_	30			2003/08/07 15:48
BM_TDB			business AND machine 17. as.		,
SPAT; Content Conten	:				
- 60 ((database\$1 NEAR1 cache\$1) AND 707/\$.ccis.) NOT ((database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 206 (database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 20 (joon AND hwang).xa. - 20 (joon AND hwang).xa. - 5 ("5355497" "5367671" "5799318" "5907837" - 5 ("5355497" "5367671" "5799318" "5907837" - 5 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) - 43 (((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) - 22375 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) - 22375 ((cache.ti,ab. AND (international AND business AND machine\$1).as.) - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccis. - 151 (cache.ti,ab. AND (microsoft\$1).as.	-	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.		2002/11/11 17:17
- 60 ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) - 206 database\$1 NEAR1 cache\$1 - 20 (joon AND hwang).xa. - 20 (joon AND hwang).xa. - 5 ("5355497" "5367671" "5799318" "5907837" "5978791").PN. - 86 (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 cache.ti,ab. - 971 cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as.			,		
Cache.ti,ab. AND (microsoft\$1) and 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT ((database\$1 NEAR1 cache\$1) AND (international AND business AND machine\$1).as.) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;					
Cache.ti,ab. AND (international AND business AND machine\$1) as.) EPO; JPO; DERWENT; IBM_TDB USPAT; EPO;					
DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT EPO; JPO; DERWENT; IBM_TDB USPAT EPO; JPO; DERWENT; IBM_TDB USPAT EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	-	60			2002/11/11 17:17
- 206 database\$1 NEAR1 cache\$1 - 20 (joon AND hwang).xa. - 20 (joon AND hwang).xa. - 5 ("5355497" "5367671" "5799318" "5907837" USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT - 56 ("6355497" "5799318" "5907837" USPAT USPAT - 86 (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 cache.ti,ab. - 971 cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. - 151 cache.ti,ab. AND (microsoft\$1).as. - 151 cache.ti,ab. AND (microsoft\$1).as.					
- 20			business AND machine\$1).as.)		
Company		206	datahasa\$1 NEAR1 aaaha\$1		2002/44/44 47:24
- 20 (joon AND hwang).xa. - 20 (joon AND hwang).xa. - 5 ("5365497" "5367671" "5799318" "5907837" USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT - 55978791").PN 86 (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DER	_	200	databaseg NEAR cacheg		2002/11/11 17:34
- 20 (joon AND hwang).xa. IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT 2002/11/11 17:54 2002/11/11 17:55 2002/11/11					
- 20 (joon AND hwang).xa. USPAT;					
EPO; JPO; DERWENT; IBM_TDB USPAT 2002/11/11 17:28 5 ("5355497" "5367671" "5799318" "5907837" USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT 2002/11/11 17:35 EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT	_	20	(joon AND hwang).xa.		2002/11/12 18:50
- 5 ("5355497" "5367671" "5799318" "5907837" USPAT 2002/11/11 17:28 "5978791"). PN. (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;		,		EPO; JPO;	
- (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 cache.ti,ab. AND (international AND business AND machine\$1).as.				1	
- 86 (database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 (cache.ti,ab. - 971 cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. - 152 cache.ti,ab. AND (microsoft\$1).as. - 153 cache.ti,ab. AND (microsoft\$1).as. - 154 cache.ti,ab. AND (microsoft\$1).as.		_	(11505540711 11500707411 11570004011 11500700711	_	
- 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1) - 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 cache.ti,ab. - 971 cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. - 2002/11/11 17:35 EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERW	-	5		USPAT	2002/11/11 17:28
- 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2	_	86		LICDAT	2002/11/11 17:25
- 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2	⁻	60			2002/11/11 17.35
- 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 cache.ti,ab. 971 cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. IBM_TDB					
- 43 ((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6 cache\$1)) AND network\$3 AND remote\$2 - 22375 cache.ti,ab. - 971 cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. - 151 cache.ti,ab. AND (microsoft\$1).as. - 151 cache.ti,ab. AND (microsoft\$1).as. - 152 cache.ti,ab. AND (microsoft\$1).as. - 153 cache.ti,ab. AND (microsoft\$1).as. - 154 cache.ti,ab. AND (microsoft\$1).as. - 155 cache.ti,ab. AND (microsoft\$1).as. - 156 cache.ti,ab. AND (microsoft\$1).as. - 157 cache.ti,ab. AND (microsoft\$1).as.					
- 22375 cache.ti,ab. DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWEN	-	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6		2002/11/11 17:54
- 22375 cache.ti,ab. - 971 cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. IBM_TDB			cache\$1)) AND network\$3 AND remote\$2		
- 22375 cache.ti,ab.				1	
- 971 cache.ti, ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti, ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti, ab. AND (microsoft\$1).as. EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;		20275	anaha ti ah		00004444 47.5
DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	-	223/5	r cache.ti,ap.		2002/11/11 17:54
- 971 cache.ti,ab. AND (international AND business AND machine\$1).as. - 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. IBM_TDB					
- 971 cache.ti,ab. AND (international AND business AND	,	,		1	
- 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO	-	971	cache.ti,ab. AND (international AND business AND	_	2002/11/11 17:57
- 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
- 77 (cache.ti,ab. AND (international AND business AND machine\$1).as.) AND 707/\$.ccls. - 151 cache.ti,ab. AND (microsoft\$1).as. IBM_TDB			,		
machine\$1).as.) AND 707/\$.ccls. EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;				IBM_TDB	
DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; DE	-	77			2002/11/11 17:55
- 151 cache ti, ab. AND (microsoft\$1) as. IBM_TDB USPAT; EPO; JPO; DERWENT;			machine\$1).as.) AND 707/\$.ccls.		
- 151 cache ti,ab. AND (microsoft\$1).as. USPAT; 2002/11/11 17:57 EPO; JPO; DERWENT;					
EPO; JPO; DERWENT;	_	. 151	cache ti ah AND (microsoff\$1) as		0000/44/44 47:57
DERWENT;		,101			2002/17/77 17:57

-	2	6356863.pn.	USPAT;	2002/11/12 16:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	256	virtual NEAR2 file\$1 NEAR system\$1	USPAT;	2002/11/12 17:15
		,	EPO; JPO;	
]			DERWENT;	
			IBM TDB	
-	305	virtual NEAR2 file\$1 NEAR2 system\$1	USPAT;	2002/11/12 16:54
		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	118	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1	USPAT;	2002/11/12 16:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	80	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:54
		AND distributed!	EPO; JPO;	2002/11/12 10:04
		, and another death	DERWENT:	
			IBM TDB	
_	76	(((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:57
]	l , , ,	AND distributed!) AND network\$1	EPO; JPO;	2002/11/12 10:0/
]				
j			DERWENT;	
_	19	((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	IBM_TDB USPAT;	2002/44/42 47:00
-	"	AND distributed!) AND network\$1) AND (load\$3 NEAR2		2002/11/12 17:08
			EPO; JPO;	
		balanc\$3)	DERWENT;	
	73	Lighted NEADS State NEAD avertage 64	IBM_TDB	0000444047.00
-	98	virtual NEAR2 file\$1 NEAR system\$1	US-PGPUB	2002/11/12 17:08
-	360	virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
-	360	(virtual NEAR2 file\$1) NEAR4 system\$1	USPAT;	2002/11/12 18:26
			EPO; JPO;	
			DERWENT;	
	256	(/virtual NEAD2 file@4) NEAD4 evetem@4) AND man and E	IBM_TDB	000044404740
-	250	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5	USPAT;	2002/11/12 17:16
			EPO; JPO;	
		·	DERWENT;	
	20	///virtual NEARS file\$1) NEAR4 evertem\$1) AND manages	IBM_TDB	0000444040
i	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5)	USPAT;	2002/11/12 18:28
		AND (load\$3 NEAR2 balanc\$3)	EPO; JPO;	
		'	DERWENT;	
	2	6004000	IBM_TDB	0000444040
-	3	6081883.uref.	USPAT;	2002/11/12 18:22
			EPO; JPO;	
			DERWENT;	
	4.0	/NEACOAOAN NEOCE ACON NECCTOO NECCTOO	IBM_TDB	
-	13	("5163131" "5355453" "5537585" "5561809" "5802366"	USPAT	2002/11/12 18:24
		"5848293" "5864554" "5915094" "5933603" "5995708"		
	400	"6081883" "6119150" "6275953").PN		
-	136	((virtual NEAR2 file\$1) NEAR4 system\$1) ti,ab.	USPAT;	2002/11/12 18:27
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND	USPAT;	2002/11/12 18:28
		(load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
		(1.1)	IBM_TDB	
-	6164	distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:51
		database\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	419	(distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:52
		database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	
		((l e
		system\$1) OR database\$1))	DERWENT; IBM_TDB	

	•			
	5	((distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	USPAT; EPO; JPO;	2002/11/12 18:54
		system\$1) OR database\$1))) AND (virtual NEAR3 file\$1)	DERWENT; IBM TDB	
-	1737	(virtual NEAR3 file\$1)	USPAT;	2002/11/12 18:54
			EPO; JPO; DERWENT;	
	4000	, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	1009	((virtual NEAR3 file\$1)) AND manage\$5	USPAT; EPO; JPO;	2002/11/12 18:55
			DERWENT;	
_	539	(((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)	IBM_TDB USPAT;	2002/11/12 18:55
			EPO; JPO;	
			DERWENT;	
-	52	((((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)) AND (load\$3 NEAR4 balanc\$3)	USPAT; EPO; JPO;	2002/11/12 20:04
		(distribution) AND (loados NEART balances)	DERWENT;	
_	14424	load\$3 NEAR2 balanc\$3	IBM_TDB USPAT;	2002/11/12 19:37
			EPO; JPO;	2002/11/12 10:07
			DERWENT; IBM_TDB	
-	5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4	USPAT;	2002/11/12 19:37
			EPO; JPO; DERWENT;	
	476	(/lood\$2 NEAP2 holono\$2\ AND distribut\$4\ AND (norolla)	IBM_TDB	2002/44/42 40:20
-	470	((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)	USPAT; EPO; JPO;	2002/11/12 19:38
			DERWENT; IBM_TDB	
-	118	(((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	USPAT;	2002/11/12 19:38
		NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1))	EPO; JPO; DERWENT;	
	22050	,,	IBM_TDB	00004440000
-	23958	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT; EPO; JPO;	2002/11/12 20:05
		·	DERWENT; IBM_TDB	
_	17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
ĺ	. '	·	EPO; JPO; DERWENT;	
	_	//land02 NEADO /haland02 OD diatailad0400 (1. 1.) AND	IBM_TDB	
_	5	((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual NEAR2 file\$1)	USPAT; EPO; JPO;	2002/11/12 20:08
			DERWENT;	
-	45	(virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	IBM_TDB USPAT;	2002/11/12 20:18
		distribu\$4))	EPO; JPO; DERWENT;	
			IBM_TDB	
_	378	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1))	USPAT; EPO; JPO;	2002/11/12 20:18
			DERWENT;	
-	15	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	IBM_TDB USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1	EPO; JPO; DERWENT;	
			IBM_TDB	
-	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3	USPAT; EPO; JPO;	2002/11/12 20:24
			DERWENT;	
		<u> </u>	IBM_TDB	

		·		
-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1) AND bypass\$3	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	6324581.pn. AND mover\$1	USPAT;	2002/11/13 13:29
1		1 0024361.pii. AND filovelai		2002/11/13 13.29
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6324581.pn. AND multicast\$3	USPAT;	2002/11/13 13:28
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(6324581.pn. AND mover\$1) AND updat\$3	USPAT:	2002/11/13 13:28
	,	, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	6224594 nn AND /may(arth NEAD9 undatts)		2000/44/40 42:24
-	'	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	USPAT;	2002/11/13 13:31
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	6324581.pn. AND (mover\$1 NEAR8 metadata)	USPAT;	2002/11/13 13:34
			EPO; JPO;	
		,	DERWENT;	
	İ		IBM_TDB	
-	1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND	USPAT;	2002/11/13 15:20
		(mover\$1 NEAR10 (updat\$3 OR chang\$3))	EPO; JPO;	2002/11/10 10:20
		(moveler results (apacite or changes))	DERWENT;	
				•
	44	(virtual NEAD4 file@4) AND (multipopt@2 OD (multi AD I4	IBM_TDB	0000/44/40 40:50
-	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:56
		cast\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
-	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:53
		cast\$3))) AND (parralel NEAR4 process\$4)	EPO; JPO;	
		, , ,	DERWENT:	
			IBM_TDB	
-	16	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:54
·		cast\$3))) AND (parallel NEAR4 process\$4)	EPO; JPO;	2002/11/10 10:04
			DERWENT;	
		'		
	650	//	IBM_TDB	000044440 40 55
-	052	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	USPAT;	2002/11/13 13:57
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	USPAT;	2002/11/13 13:57
		,	EPO; JPO;	
			DERWENT;	
ľ			IBM_TDB	
	37	(((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1))	USPAT;	2002/11/13 13:58
,		AND (parallel NEAR4 process\$4)	EPO; JPO;	2302/11/10 10:00
		· ···· \pundionite it it processy		
			DERWENT;	•
		6224504 mm ANID //m	IBM_TDB	00004445
-	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10	USPAT;	2002/11/13 14:08
		exchang\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6324581.pn. AND cach\$3	USPAT;	2002/11/13 15:23
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
_	1 1	6081883.pn. AND cach\$3	USPAT;	2002/11/13 15:29
	'			2002/11/13 13.29
]		EPO; JPO;	
			DERWENT;	
,	1		IBM_TDB	

-	2	5948062.pn. AND load\$3	USPAT; EPO; JPO;	2002/11/13 15:33
-	1	6453323.pn.	DERWENT; IBM_TDB USPAT;	2002/11/13 16:16
_	8	("5469560" "5692155" "5758190" "5768620" "5813042"	EPO; JPO; DERWENT; IBM_TDB USPAT	2002/11/13 15:56
-		"5968182" "6088815" "6304980").PN.		
-	0	6304980.pn. AND geographical\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 16:17
-	2	6442548.pn.	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/13 16:38
-	2	5937406.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 17:38
-	0	5937406.pn. AND cach\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 18:00
-	1	5937406.pn. AND memor\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 18:01
-	0	6304967.pn. AND translat\$4	USPAT; EPO; JPO; DERWENT;	2002/11/14 10:50
-	3	6081883.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/14 11:17
-	1	6081883.uref. AND translat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 10:52
-	13	("5163131" "5355453" "5537585" "5561809" "5802366" "5848293" "5864554" "5915094" "5933603" "5995708" "6081883" "6119150" "6275953").PN.	USPAT	2002/11/14 11:15
-	172	(front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36
-	161	((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:18
-	108	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND remot\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:19
	50	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:37
-	38	((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))) AND parallel	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:20

-	12	((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:36
		network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	DERWENT;	
		OR storage\$1))) NOT (((((front ADJ1 end\$1) AND (back	IBM_TDB	
		ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))		
		AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR		
	1105	server\$1 OR database\$1 OR storage\$1))) AND parallel) multi ADJ1 tier\$1	LICDAT	2002/44/44 44:26
-	1103		USPAT; EPO; JPO;	2002/11/14 11:36
			DERWENT;	
			IBM_TDB	
! <u>-</u>	12	(multi ADJ1 tier\$1) AND ((front ADJ1 end\$1) AND (back	USPAT;	2002/11/14 11:36
		ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))	EPO; JPO	2002/11/14 11:00
		(,	DERWENT;	
			IBM_TDB	
- ·	29320	(remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT;	2002/11/14 11:37
		storage\$1))	EPO; JPO	
			DERWENT;	
			IBM_TDB	
-	87	((remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT;	2002/11/14 11:38
		storage\$1))) AND (multi ADJ1 tier\$1)	EPO; JPO;	
	1		DERWENT;	
		FCCCAFF AND biles	IBM_TDB	000044444
-	1	5692155 pn. AND kilometer\$1	USPAT;	2002/11/14 12:25
		·	EPO; JPO;	
ļ			DERWENT;	
<u> </u>	0	5692155.pn. AND search\$3	IBM_TDB USPAT;	2002/11/14 12:25
		3092 105.pn. AND Searchips	EPO; JPO;	2002/11/14 12.25
	1		DERWENT;	
			IBM_TDB	
<u>-</u>	0	5692155.pn. AND mapping	USPAT;	2002/11/14 12:26
			EPO; JPO;	200251171112.20
		•	DERWENT:	
	ļ		IBM_TDB	
-	22	5692155.uref.	USPAT;	2002/11/14 17:47
			EPO; JPO;	
			DERWENT;	
	47	5000455 (4ND 11	IBM_TDB	
-	17	5692155.uref. AND address\$2	USPAT;	2002/11/14 17:52
	1		EPO; JPO;	
			DERWENT;	
_	48	(secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)	IBM_TDB USPAT;	2002/11/14 17:53
	70	(secondary NEARZ devices) AND (ip NEARZ address\$2)	EPO; JPO;	2002/11/14 17:53
			DERWENT;	
	<u>l</u> .		IBM_TDB	
-	14	((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:03
		AND backup	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	3	(((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:23
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	
	1	address\$2))	DERWENT;	
		///cocondon/NEADO desidential/AND (Se NEADO AND AND	IBM_TDB	000044444
-	0	((((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:21
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2 address\$2))) AND search\$3	EPO; JPO;	
		addiessouziii vind seatchos	DERWENT;	
_	12223	search\$3 NEAR10 (backup OR second\$3)	IBM_TDB USPAT;	2002/11/14 18:23
ĺ			EPO; JPO;	2002/11/14 10:23
			DERWENT;	
			IBM_TDB	
				

-	1748	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR second\$3)	USPAT; EPO; JPO;	2002/11/14 18:24
			DERWENT; IBM_TDB	
-	149	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR (second\$3 NEAR2 (storage\$1 OR device\$1)))	USPAT; EPO; JPO; DERWENT;	2002/11/14 19:26
-	3	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR (second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 18:26
-	6	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR (second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 18:29
-	191	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR (second\$3 NEAR2 (storage\$1 OR device\$1)))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 18:39
-	76	707/204.ccls. AND (search\$3 NEAR4 file\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 18:47
-	1	(707/204.ccls. AND (search\$3 NEAR4 file\$1)) AND failover	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 18:40
-	5804	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR request\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:16
-	49	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 NEAR4 request\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:16
-	83	4914571.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:10
-	7	4914571.uref. AND (search\$3 NEAR2 file\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:10
-	2	5729736.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:15
-	6055	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:16
-	668	(multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:21
-	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)) AND 707/\$.ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:17
-	238	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:14

quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 file\$1).ti,ab. Comparison of the property of	02/11/14 19:22
NEAR4 file\$1).ti,ab. DERWENT; IBM_TDB USPAT; US	02/11/14 19:27
- 51 (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	02/11/14 19:27
- 51 (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.) AND distributed - 7 (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1)) - 5 ("5390313" "5463578" "5819310" "5832522" USPAT 200	02/11/14 19:27
quer\$3)).ti,ab.) AND distributed EPO; JPO; DERWENT; IBM_TDB (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1)) ("5390313" "5463578" "5819310" "5832522" USPAT 200 "5892914").PN.	02/11/14 19:27
quer\$3)).ti,ab.) AND distributed EPO; JPO; DERWENT; IBM_TDB (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1)) ("5390313" "5463578" "5819310" "5832522" USPAT 200 "5892914").PN.	
- 7 (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	
- 7 (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	
- 7 (((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3)	
quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1)) - 5 ("5390313" "5463578" "5819310" "5832522" USPAT 200 "5892914").PN.	
NEAR4 (database\$1 OR storage\$1)) - 5 ("5390313" "5463578" "5819310" "5832522" USPAT 200 "5892914").PN.)O(44/4
- 5 ("5390313" "5463578" "5819310" "5832522" USPAT 200 200 200 200 200 200 200 200 200 20	NO (4.4.14.4.4.0÷0.5
- 5 ("5390313" "5463578" "5819310" "5832522" USPAT 200	00/44/44 40:00
"5892914").PN.	
	02/11/14 19:29
	02/11/14 19:42
AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 EPO; JPO;	
(database\$1 OR storage\$1)) DERWENT;	
IBM_TDB	
	02/11/14 19:46
NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4 EPO; JPO;	
(database\$1 OR storage\$1)) DERWENT;	•
	10/41/44 40:47
	02/11/14 19:47
NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4	
(database\$1 OR storage\$1))) AND (failover OR (fail ADJ1 DERWENT;	
over)) IBM_TDB	•
- 83 4914571.uref. USPAT; 200	02/11/14 20:01
EPO; JPO;	
DERWENT;	
IBM_TDB	
	02/11/14 20:14
EPO; JPO;	72/11/14 20:14
DERWENT;	
IBM_TDB	
	02/11/14 20:14
EPO; JPO;	
DERWENT;	
- 29 ((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)) USPAT; 200	02/11/14 20:16
NEAR10 (database\$1 OR storage\$1) EPO; JPO;	
DERWENT;	
IBM_TDB	
	02/11/14 20:18
request\$3 OR quer\$3)) NEAR10 (database\$1 OR storage\$1) EPO; JPO;	
DERWENT,	
IBM_TDB	
)	70/44/44 00:04
	02/11/14 20:21
request\$3 OR quer\$3)) NEAR20 ((multicast\$3 OR (multi	
ADJ1 cast\$3)) NEAR10 (database\$1 OR storage\$1)) DERWENT;	
IBM_TDB	
	02/11/14 20:25
NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3)) EPO; JPO;	
DERWENT;	
IBM_TDB	
	02/11/14 21:37
OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1 EPO; JPO;	
IBM_TDB	00/44/44 55 55
- 6 (((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR USPAT; 200	02/11/14 20:29
storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.) EPO; JPO;	•
AND file\$1.ti,ab. DERWENT;	
LIBM_TDB	

-	67	((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR	USPAT;	2002/11/14 20:30
		storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.	EPO; JPO;	
		<i>"</i>	DERWENT;	
			IBM_TDB	
-	10	(ip NEAR2 address\$2) NEAR10 different NEAR10 subnet	USPAT;	2002/11/14 21:05
			EPO; JPO;	
	İ		DERWENT;	
	1		IBM_TDB	
<u>-</u>	1	5870537.pn. AND location\$1	USPAT:	2002/11/14 21:19
	•	Cot Soot pin this location to	EPO; JPO;	2002/11/14 21:10
			DERWENT;	
			IBM_TDB	
<u>_</u>	2	5870537.pn. AND address\$2	USPAT;	2002/11/14 21:33
	_	0070007.pm. AND address@2		2002/11/14 21.33
			EPO; JPO;	
			DERWENT;	
	ا م	(#0050070##5500004##5070507##5000455#) AND /	IBM_TDB	00004445
-	Ö	("6256673" "5506984" "5870537" "5692155").pn. AND (point	USPAT;	2002/11/15 14:07
		NEAR8 protocol)	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB]
-	5	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:38
		OR storage\$1) NEAR10 (point NEAR4 protocol)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:38
		OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	5857181.uref.	USPAT;	2002/11/16 15:30
	ļ		EPO; JPO;	
	Ì		DERWENT;	
			IBM_TDB	
l <u>-</u>	2329	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 15:32
	2020	device\$1)))	EPO; JPO;	2002/11/10 15.52
		400000000000000000000000000000000000000	DERWENT;	. [
		·	IBM_TDB	i i
_	471	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 15:32
1	'''	device\$1)))) AND broadcast\$3	EPO; JPO;	2002/11/10 13.32
1		device \$1777 7 AND broadcast\$5		
			DERWENT;	
	122	/managed NEADA (massivered OD (massive) NEADO	IBM_TDB	00004444040
-	133	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 16:08
1		device\$1))).ab,ti. AND broadcast\$3	EPO; JPO;	
		·	DERWENT;	
	_	//	IBM_TDB	
-	5	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 15:36
		device\$1))) ab,ti. AND broadcast\$3) AND (manipulat\$4	EPO; JPO;	
		NEAR4 (information OR data))	DERWENT;	
			IBM_TDB	
-	76	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:11
İ		broadcast\$3 AND (manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	
		command\$1))	DERWENT;	
			IBM_TDB	
-	18	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:15
		broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	
		command\$1)) NEAR20 (receive\$1 OR receiving))	DERWENT:	
		,, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	23	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:17
		broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	
	i	command\$1)) NEAR20 (transmit\$6))	DERWENT;	
		(dallonito))	IBM_TDB	
_	147793	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8	USPAT;	2002/11/16 16:18
	,55	(instruction\$1 OR command\$1)	EPO; JPO;	2002/11/10 10.10
		(DERWENT;	
			IBM_TDB	
	I		ם חו דואומי ד	<u> </u>

-	54600	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8	USPAT;	2002/11/16 16:19
		(instruction\$1 OR command\$1) NEAR8 (information OR data)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	76598	(broadcast\$3 OR transmit\$4 OR receiv\$3) WITH	USPAT;	2002/11/16 16:19
		(instruction\$1 OR command\$1) WITH (information OR data)	EPO; JPO;	
			DERWENT;	
	2048	/hannalanates> \A/ITI /in-thurstiness4 OD	IBM_TDB	0000444040
-	2046	(broadcast\$3) WITH (instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
		(information OR data)	EPO; JPO;	
			DERWENT; IBM TDB	
_	197	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
	, , ,	(information OR data))	EPO; JPO;	2002/11/10 10:20
			DERWENT;	
			IBM_TDB	
_	212	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1)	USPAT;	2002/11/16 16:21
		NEAR2 (information OR data))	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	149	(broadcast\$3) NEAR1 ((instruction\$1 OR command\$1)	USPAT;	2002/11/16 16:24
		NEAR2 (information OR data))	EPO; JPO;	
			DERWENT;	
		(hmandana460)	IBM_TDB	000044404040
-	9	(broadcast\$3) WITH ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:24
		(information OR data)) WITH manipulat\$4	EPO; JPO; DERWENT;	
	!		IBM_TDB	
_	6	("5857181" "5263156" "5530939").pn.	USPAT;	2002/11/18 05:27
		(σσσ. 1στ. σσσσσσσ. μ.μ	EPO; JPO;	2002/11/10 00:2/
			DERWENT;	
			IBM_TDB	
-	7428	(distributed NEAR4 (database\$1 storage\$1))	USPAT;	2003/08/01 14:37
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	((distributed NEAR4 (database\$1 storage\$1))) AND dosm	USPAT;	2003/08/01 14:37
	•		EPO; JPO;	
			DERWENT;	
_	374	((distributed NEAR4 (database\$1 storage\$1))) AND (directory	IBM_TDB USPAT;	2003/08/01 14:37
	3,7	NEAR2 (server\$1 database\$1))	EPO; JPO;	2003/00/01 14.37
			DERWENT;	
			IBM_TDB	
-	154	(((distributed NEAR4 (database\$1 storage\$1))) AND	USPAT;	2003/08/01 15:15
		(directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	87	((((distributed NEAR4 (database\$1 storage\$1))) AND	USPAT;	2003/08/01 15:15
		(directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.)	EPO; JPO;	
		AND (replica backup duplicate)	DERWENT;	
_	2	("6442548" "6081883" "6327614").pn. AND scalab\$8	IBM_TDB USPAT;	2003/08/04 17:17
_	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	EPO; JPO;	2003/00/04 17.17
			DERWENT;	
		·	IBM_TDB	
-	2	("5692155" "5870537").pn. AND busy	USPAT;	2003/08/06 17:30
1	[· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
1			DERWENT;	
l.			IBM_TDB	
· -	0	(tri ADJ1 (replica backup duplicat\$3))	USPAT;	2003/08/06 17:31
			EPO; JPO;	1
	,		DERWENT;	
L	L		IBM_TDB	L

USPAT; 2003/08/06 17:31 EPO; JPO; DERWENT;
DERVVENI,
IBM_TDB
USPAT; 2003/08/06 17:33
EPO; JPO;
DERWENT;
IBM_TDB
a duplicat\$3)) USPAT; 2003/08/06 17:32
EPO; JPO;
DERWENT;
IBM_TOB
USPAT; 2003/08/06 17:33
EPO; JPO;
DERWENT;
IBM_TDB
USPAT; 2003/08/06 18:04
EPO; JPO;
DERWENT;
IBM_TDB
USPAT; 2003/08/06 18:06
EPO; JPO;
DERWENT;
IBM_TDB
USPAT; 2003/08/06 18:07 EPO; JPO;
DERWENT;
IBM TDB